

SCREENING STANDARDS

Single Family Add and Alt INDEX 7

Applicant Services Center 700 Fifth Avenue, Suite 2000 P. O. Box 34019

Seattle, WA 98124-4019 **Phone:** (206) 684-8850

Hours: M/W/F, 7:30am-5:30pm; T/Th, 10:30am-5:30pm

Single Family - General Responsibilities

Screening Responsibilities: These standards are all required for a complete application and prior to routing for a review, but individually, are not a reason to reject an appointment. The screener must look at all aspects of a project submittal and determine whether the combination of missing items can be added during the appointment time constraints.

"Project stoppers" are corrections that require a substantial redesign.

Applicants are responsible for insuring that their submittal meets this checklist and standards prior to intake. The limited time of intake is not intended for applicants to complete their application materials.

O/S Screener: Responsible for completeness of plans and submittals for building, energy/mechanical reviews, building code items (stories and basements, type of construction, occupancy groups), fees, identifying review locations, O/S IP hours and in coordination with the LU Screener the Project Description.

LU Screener: Responsible completeness of plans and submittals for Zoning Review including easements, No Protest Agreement, etc. Use per Land Use Code, Land Use review locations, Zoning IP hours, and in coordination with the O/S Screener the Project Description.

Revised 7/29/04 Page 1 of 11

Single Family - General Requirements Overview

Screening Overview (SCOPING):

Cover Sheet Complete

- Project Address matches the Address assigned by DPD
- <u>All</u> portion of Cover Sheet completed including, Contact information, Related Projects, Floor Area, Grading, page where information is indicated on the plans, Energy/Mechanical Code Compliance Information etc. Check for forms if Target UA or Systems Analysis is used.

Forms – all forms must be completed (Including but not limited to):

- Financial Responsibility Form
- Contact Disclosure Form
- Construction Storm Water Checklist
- Equipment Sizing Form
- Pre Application Site Inspection Report
- Target UA Form or Systems Analysis Calculations <u>If selected on Coversheet</u>
- Side Yard Easement (if new easement prior to recording)
- Accessory Structure Agreement (if required via zoning review)

Project matches Addressing Review

- Legal Description matches legal description reviewed by Addressing
- Plot Plan matches Plot Plan reviewed by Addressing
- Address on all sheets match DPD Project Address

Plot Plan, Floor Plan and Elevations agree

All Plans and Notes Indicated in Screening Checklist are Included

Plans are Microfilmable

- Good Contrast
- Minimum 1/8th inch lettering
- Minimum 1/8th inch or 1:10 for plot plan
- Minimum ¼ inch for all other plans

Number of Plans Required

Two Identical Sets of Plans with Complete Coversheets and Stapled

Structural Calculations Included

Note: required for all projects with structures less than 20' in width, of unusual shape or of unusual framing

Revised 7/29/04 Page 2 of 11

Architectural and Structural Notes

Req	Prov	
		Identify Building Code Edition (such as year, including amendments)
<u>Design</u>	<u> Loads</u>	<mark>s Notes</mark>
		Floor Dead Load and Live Load
		Roof Dead Load and Live Load
		Wind Exposure and Speed
		Seismic Zone
		Soil Bearing Pressure
		Equivalent fluid Pressure
Found	ation N	<mark>otes</mark>
		Concrete Strength and Mix
		Reinforcing Steel Grade Placement and Protection
		Anchor bolt size, spacing, and washer/plate size
Framir	ng Note	
		Species and Grade of beams, headers, joist, rafters, columns, studs & misc.
		Sheathing type, grade and index.
		Manufactured Trusses
		Nailing and Blocking
		Stairway headroom, and handrail specifications
		Guardrail height, intermediate rail
Mecha	nical &	<u>Ventilation Notes</u>
\boxtimes		Identify Code Edition (such as year, including amendments)
		Source Specific Fan Sizes (if not specified on floor plans)
		Duct work gage between garage and living spaces
		Whole house ventilation method (exhaust only, integrated forced air, etc.)
		include size, sone rating, and controls
Energy	/ Notes	
\boxtimes		Identify Code Edition (such as year, including amendments)
		Heated Floor Area (gross)
		Area of Exterior Doors
		Area of glazing in walls
		Area of Skylights
		Glazing % (all glass)
Land	llea C	ode Analysis and Documentation
Lot Co	<u>verage</u>	
\bowtie		Show area calculations of all principal and accessory structures
X		Identify allowed lot coverage
\bowtie		Identify total lot coverage
		Identify exceptions used (i.e. 18" overhang including gutter)
Structi	<u>ure Hei</u>	
\bowtie		Identify maximum structure height allowed
\bowtie		Identify proposed structure height
\bowtie		Identify exceptions used (i.e. pitched roof, rooftop features, sloped lot height
		bonus)

Revised 7/29/04 Page 3 of 11

Land Use Code Analysis and Documentation - continued Req Prov

Sloping lot height bonus documentation (calculate to nearest inch)

H		Show calculations for average elevation of low grade wall Show calculations for average elevation of high grade wall
		Show calculations for difference between average high and average low
		elevations Identify distance between average low point and average high point
		Show calculations for slope on lot (difference in average elevations divided by
		distance between these points) Show calculations for additional beight allowed (claps of let divided by 06)
Front Ya	ard Ave	Show calculations for additional height allowed (slope of lot divided by .06)
		Provide a partial block front plan showing nearest single family structures used
		for averaging.
		Dimension the distance from proposal site side lot lines to single family structures used for averaging.
		Dimension the distance from front lot lines of each structure used for averaging to
		the wall nearest to the street.
		Dimension all portions of front facade of each structure used for averaging purposes
		Identify portion of each structure used for averaging purposes (i.e. enclosed
		porch, living area, etc.)
		Provide calculations demonstrating how front yard requirement for proposal site was determined
Plot Pla	an	
		mation
Genera		Project site address
Genera		Project site address Scale 1" = 10' or 1/8" = 1'
Genera		Project site address Scale 1" = 10' or 1/8" = 1' Legal description(s) (Include easement legal description and recording number)
		Project site address Scale 1" = 10' or 1/8" = 1' Legal description(s) (Include easement legal description and recording number) Existing and proposed easement location and dimensions (side yard, ingress &
Genera 		Project site address Scale 1" = 10' or 1/8" = 1' Legal description(s) (Include easement legal description and recording number)
Genera 		Project site address Scale 1" = 10' or 1/8" = 1' Legal description(s) (Include easement legal description and recording number) Existing and proposed easement location and dimensions (side yard, ingress & egress, pedestrian access, etc.) King County Assessor's Parcel Number (APN) North arrow
Genera 	I Inforr	Project site address Scale 1" = 10' or 1/8" = 1' Legal description(s) (Include easement legal description and recording number) Existing and proposed easement location and dimensions (side yard, ingress & egress, pedestrian access, etc.) King County Assessor's Parcel Number (APN) North arrow Identify and dimension all property lines. Show their bearings.
Genera 	I Inforr	Project site address Scale 1" = 10' or 1/8" = 1' Legal description(s) (Include easement legal description and recording number) Existing and proposed easement location and dimensions (side yard, ingress & egress, pedestrian access, etc.) King County Assessor's Parcel Number (APN) North arrow Identify and dimension all property lines. Show their bearings.
Genera 	I Inforr	Project site address Scale 1" = 10' or 1/8" = 1' Legal description(s) (Include easement legal description and recording number) Existing and proposed easement location and dimensions (side yard, ingress & egress, pedestrian access, etc.) King County Assessor's Parcel Number (APN) North arrow Identify and dimension all property lines. Show their bearings. ey information Names of adjacent streets
Genera 	I Inforr	Project site address Scale 1" = 10' or 1/8" = 1' Legal description(s) (Include easement legal description and recording number) Existing and proposed easement location and dimensions (side yard, ingress & egress, pedestrian access, etc.) King County Assessor's Parcel Number (APN) North arrow Identify and dimension all property lines. Show their bearings. ey information Names of adjacent streets Street and Alley right-of-way width
Genera Street a	I Inforr	Project site address Scale 1" = 10' or 1/8" = 1' Legal description(s) (Include easement legal description and recording number) Existing and proposed easement location and dimensions (side yard, ingress & egress, pedestrian access, etc.) King County Assessor's Parcel Number (APN) North arrow Identify and dimension all property lines. Show their bearings. ey information Names of adjacent streets
Genera 	I Inforr	Project site address Scale 1" = 10' or 1/8" = 1' Legal description(s) (Include easement legal description and recording number) Existing and proposed easement location and dimensions (side yard, ingress & egress, pedestrian access, etc.) King County Assessor's Parcel Number (APN) North arrow Identify and dimension all property lines. Show their bearings. Ex information Names of adjacent streets Street and Alley right-of-way width Identify elevation at center of developed roadway if a change to access or parking is proposed Street, alley improvement type, and width (asphalt, concrete, gravel, 24' wide, or
Genera Street a	I Inforr	Project site address Scale 1" = 10' or 1/8" = 1' Legal description(s) (Include easement legal description and recording number) Existing and proposed easement location and dimensions (side yard, ingress & egress, pedestrian access, etc.) King County Assessor's Parcel Number (APN) North arrow Identify and dimension all property lines. Show their bearings. Exy information Names of adjacent streets Street and Alley right-of-way width Identify elevation at center of developed roadway if a change to access or parking is proposed Street, alley improvement type, and width (asphalt, concrete, gravel, 24' wide, or specify "unimproved")
Genera Street a	I Inforr	Project site address Scale 1" = 10' or 1/8" = 1' Legal description(s) (Include easement legal description and recording number) Existing and proposed easement location and dimensions (side yard, ingress & egress, pedestrian access, etc.) King County Assessor's Parcel Number (APN) North arrow Identify and dimension all property lines. Show their bearings. Ex information Names of adjacent streets Street and Alley right-of-way width Identify elevation at center of developed roadway if a change to access or parking is proposed Street, alley improvement type, and width (asphalt, concrete, gravel, 24' wide, or
Genera Street a	I Inforr	Project site address Scale 1" = 10' or 1/8" = 1' Legal description(s) (Include easement legal description and recording number) Existing and proposed easement location and dimensions (side yard, ingress & egress, pedestrian access, etc.) King County Assessor's Parcel Number (APN) North arrow Identify and dimension all property lines. Show their bearings. Information Names of adjacent streets Street and Alley right-of-way width Identify elevation at center of developed roadway if a change to access or parking is proposed Street, alley improvement type, and width (asphalt, concrete, gravel, 24' wide, or specify "unimproved") Sidewalk location or specify "no sidewalk"

Revised 7/29/04 Page 4 of 11

Plot Plan - continued

Req	Prov	
Develo	pment Ir	nformation
\boxtimes		Dimension distances from all portions of the building to front, side, and rear property lines
		Identify new and existing structures or portions of structures Dimension and label all portions of the structure (exterior walls, porches, decks,
		stairs, cantilevers, roof overhangs, chimneys, etc.)
\boxtimes		Identify accessory structures. Dimension distances between structures on property
		Label and dimension surface parking space(s), driveways Identify existing and finished grade elevation of driveway at property line if a
		change to access or parking is proposed. Identify finished grade elevation at garage if a change to access is proposed
\boxtimes		Label and dimension rockeries, site retaining walls, fences, arbors, trellises,
		patios, walkways, etc.) Locate and dimension all window wells, fireplaces, chimneys, etc.
		Caliper and species of exceptional and significant trees
<u>Height</u>	details I	For New Addition or Roof Modification
\boxtimes		Identify existing and finished grade at each building corner For pitched roofs – identify elevation at top of plate, top of roof peak(s), (top of roof decks if applicable)
		For flat roofs, identify elevation at top of roof structure, top of roof decks if applicable
Additio	onal requ	irements - Sloping lot height bonus details for New Addition or Roof
Modific		
		Locate and identify the average elevation point on high grade wall
		Locate and identify the average elevation point on low grade wall
$\overline{\boxtimes}$		Show and dimension line between average high point and average low point
		Provide topographic survey with 2 foot contours (minimum) by licensed surveyor
Demol	ition Pl	an - May be included on Floor Plan
Req	Prov	
		Show all items to be demolished
		Indicate bearing walls, columns and shear walls
		Show removal of ceilings
		Show all existing items to remain
Floor F	Plans	
Genera	al Inform	
		North arrow
		Scale 1/4" = 1'
		Label floor level (1 st , 2 nd , basement, etc.)
\boxtimes		Identify New and Existing

Revised 7/29/04 Page 5 of 11

Floor Plans - continued

General Information – continued Use of each room If framing is shown, identify which floor level framing (i.e. "1st floor plans, 2nd floor framing") Reference call outs for cross sections and details Floor plan information Overall dimensions (exterior wall to exterior wall) Dimension location of all interior walls and columns, from each other and from outside of exterior walls Location of interior and exterior doors and windows Dimension exterior door size and specify u-value Identify egress window(s). Show details of the fire barrier required between attached garage and dwelling. Dimensions for window sizes on plan or provide schedule. Include height, width, type (i.e. slider, casement, awning), u-value or call out key on plan. Show and dimension critical ceiling breaks (i.e. sloped ceiling provisions, soffits, etc.) Locate all smoke detectors	
 ☐ If framing is shown, identify which floor level framing (i.e. "1st floor plans, 2nd floor framing") ☐ Reference call outs for cross sections and details Floor plan information ☐ Overall dimensions (exterior wall to exterior wall) ☐ Dimension location of all interior walls and columns, from each other and from outside of exterior walls ☐ Location of interior and exterior doors and windows ☐ Dimension exterior door size and specify u-value ☐ Identify egress window(s). ☐ Show details of the fire barrier required between attached garage and dwelling. ☐ Dimensions for window sizes on plan or provide schedule. Include height, width, type (i.e. slider, casement, awning), u-value or call out key on plan. ☐ Show and dimension critical ceiling breaks (i.e. sloped ceiling provisions, soffits, etc.) 	
 ☐ If framing is shown, identify which floor level framing (i.e. "1st floor plans, 2nd floor framing") ☐ Reference call outs for cross sections and details Floor plan information ☐ Overall dimensions (exterior wall to exterior wall) ☐ Dimension location of all interior walls and columns, from each other and from outside of exterior walls ☐ Location of interior and exterior doors and windows ☐ Dimension exterior door size and specify u-value ☐ Identify egress window(s). ☐ Show details of the fire barrier required between attached garage and dwelling. ☐ Dimensions for window sizes on plan or provide schedule. Include height, width, type (i.e. slider, casement, awning), u-value or call out key on plan. ☐ Show and dimension critical ceiling breaks (i.e. sloped ceiling provisions, soffits, etc.) 	
framing") Reference call outs for cross sections and details Floor plan information Overall dimensions (exterior wall to exterior wall) Dimension location of all interior walls and columns, from each other and from outside of exterior walls Location of interior and exterior doors and windows Dimension exterior door size and specify u-value Identify egress window(s). Show details of the fire barrier required between attached garage and dwelling. Dimensions for window sizes on plan or provide schedule. Include height, width, type (i.e. slider, casement, awning), u-value or call out key on plan. Show and dimension critical ceiling breaks (i.e. sloped ceiling provisions, soffits, etc.)	
Reference call outs for cross sections and details Floor plan information Overall dimensions (exterior wall to exterior wall) Dimension location of all interior walls and columns, from each other and from outside of exterior walls Location of interior and exterior doors and windows Dimension exterior door size and specify u-value Identify egress window(s). Show details of the fire barrier required between attached garage and dwelling. Dimensions for window sizes on plan or provide schedule. Include height, width, type (i.e. slider, casement, awning), u-value or call out key on plan. Show and dimension critical ceiling breaks (i.e. sloped ceiling provisions, soffits, etc.)	
Floor plan information Overall dimensions (exterior wall to exterior wall) Dimension location of all interior walls and columns, from each other and from outside of exterior walls Location of interior and exterior doors and windows Dimension exterior door size and specify u-value Identify egress window(s). Show details of the fire barrier required between attached garage and dwelling. Dimensions for window sizes on plan or provide schedule. Include height, width, type (i.e. slider, casement, awning), u-value or call out key on plan. Show and dimension critical ceiling breaks (i.e. sloped ceiling provisions, soffits, etc.)	
 Overall dimensions (exterior wall to exterior wall) Dimension location of all interior walls and columns, from each other and from outside of exterior walls Location of interior and exterior doors and windows Dimension exterior door size and specify u-value Identify egress window(s). Show details of the fire barrier required between attached garage and dwelling. Dimensions for window sizes on plan or provide schedule. Include height, width, type (i.e. slider, casement, awning), u-value or call out key on plan. Show and dimension critical ceiling breaks (i.e. sloped ceiling provisions, soffits, etc.) 	
 Dimension location of all interior walls and columns, from each other and from outside of exterior walls Location of interior and exterior doors and windows Dimension exterior door size and specify u-value Identify egress window(s). Show details of the fire barrier required between attached garage and dwelling. Dimensions for window sizes on plan or provide schedule. Include height, width, type (i.e. slider, casement, awning), u-value or call out key on plan. Show and dimension critical ceiling breaks (i.e. sloped ceiling provisions, soffits, etc.) 	
outside of exterior walls Location of interior and exterior doors and windows Dimension exterior door size and specify u-value Identify egress window(s). Show details of the fire barrier required between attached garage and dwelling. Dimensions for window sizes on plan or provide schedule. Include height, width, type (i.e. slider, casement, awning), u-value or call out key on plan. Show and dimension critical ceiling breaks (i.e. sloped ceiling provisions, soffits, etc.)	
Location of interior and exterior doors and windows Dimension exterior door size and specify u-value Identify egress window(s). Show details of the fire barrier required between attached garage and dwelling. Dimensions for window sizes on plan or provide schedule. Include height, width, type (i.e. slider, casement, awning), u-value or call out key on plan. Show and dimension critical ceiling breaks (i.e. sloped ceiling provisions, soffits, etc.)	
Dimension exterior door size and specify u-value Identify egress window(s). Show details of the fire barrier required between attached garage and dwelling. Dimensions for window sizes on plan or provide schedule. Include height, width, type (i.e. slider, casement, awning), u-value or call out key on plan. Show and dimension critical ceiling breaks (i.e. sloped ceiling provisions, soffits, etc.)	
 Identify egress window(s). Show details of the fire barrier required between attached garage and dwelling. Dimensions for window sizes on plan or provide schedule. Include height, width, type (i.e. slider, casement, awning), u-value or call out key on plan. Show and dimension critical ceiling breaks (i.e. sloped ceiling provisions, soffits, etc.) 	
 Identify egress window(s). Show details of the fire barrier required between attached garage and dwelling. Dimensions for window sizes on plan or provide schedule. Include height, width, type (i.e. slider, casement, awning), u-value or call out key on plan. Show and dimension critical ceiling breaks (i.e. sloped ceiling provisions, soffits, etc.) 	
Show details of the fire barrier required between attached garage and dwelling. Dimensions for window sizes on plan or provide schedule. Include height, width, type (i.e. slider, casement, awning), u-value or call out key on plan. Show and dimension critical ceiling breaks (i.e. sloped ceiling provisions, soffits, etc.)	
 Dimensions for window sizes on plan or provide schedule. Include height, width, type (i.e. slider, casement, awning), u-value or call out key on plan. Show and dimension critical ceiling breaks (i.e. sloped ceiling provisions, soffits, etc.) 	
type (i.e. slider, casement, awning), u-value or call out key on plan. Show and dimension critical ceiling breaks (i.e. sloped ceiling provisions, soffits, etc.)	
Show and dimension critical ceiling breaks (i.e. sloped ceiling provisions, soffits, etc.)	
etc.)	
<i>_</i> _	
□ Locate all smoke detectors	
Locate exhaust fans	
Attic access location and size	
Water heater location	
Furnace location	
Kitchen sink, refrigerator, cooking appliances location	
Toilet, bathing, sink location	
Fireplace, bay windows, etc. location and dimensions	
Show decks, porches, landings, etc.	
Identify partial height walls	
Stair information	
Locate stairs	
Dimension width and landing size	
☐ ☐ Indicate rise and run	
Handrail information	
Guard information (rail height and spacing of intermediate rails)	
Headroom height	
Winding stair requirements (if used)	
Spiral stair requirements (if used)	
Elevation View	
General Information	
Scale 1/4" = 1'	
Show and label north, south, east, and west elevation views	
Show and label existing and finished grade lines	

Revised 7/29/04 Page 6 of 11

Elevation View - continued

Req	Prov	
Gene	ral Info	rmation - continued
		Show and label new and existing structures or portions of structures Show and dimensions exterior architectural features (garden windows, bay windows, etc.)
		Show window wells Slope of pitched roofs Location of doors and windows For pitched roofs – dimension height from existing or finished grade, whichever is lower to top of plate, top of roof, top of roof peak, top of roof decks (if applicable)
		at each building corner For flat roofs – dimension height from existing or finished grade, whichever is lower to top of roof structure, top of roof decks (if applicable) at each building corner
		Height of yard exceptions (decks, porches, stairs) from existing or finished grade, whichever is lower
		Height of cantilevered portions of structure from grade Height of chimney above structures within 10'
Ш		Details of open railings on decks if yard or height exceptions used
Foun	dation ofluencin	Plan –Provide the following for all new construction and areas affected such as adjoining g or modifying loads
0	nal lafa	
Gene	ral Info	<u>rmation</u>
Gene	ral Info	North Arrow Scale ¼" = 1' Identify New and Existing
		North Arrow Scale ¼" = 1' Identify New and Existing Reference callouts for cross sections and details
		North Arrow Scale ¼" = 1' Identify New and Existing

Revised 7/29/04 Page 7 of 11

Floor Framing Plan – Provide the following for all new construction and areas affected such as adjoining areas influencing or modifying loads

Req	Prov	
Gene	eral Infor	<u>rmation</u>
		North arrow
		Scale 1/4" = 1'
		Reference call outs for cross sections and details
Ħ	Ħ	Identify New and Existing
H	Ħ	Identify floor (1 st floor, 2 nd floor, etc.) and framing level
Fram	ning info	
		Size and spacing of framing members (i.e. joists, beams)
Ħ	Ħ	Size and span of headers, beams, etc.
H	H	Dimension and size of framing around openings in floors, ceilings, and other
Ш		horizontal diaphragms
		Locate all bearing walls and supporting floor framing
H	H	Locate all bearing walls and bearing points from above
H	H	
Ш		Locate and identify all structural discontinuities, cantilever, offset bearing walls,
		floor level changes, etc.
H	Η	Show hold-downs, or straps location and size
H	片	Show all ledger connections
Ш		Identify all shearwall and braced wall panels and their schedule
Poof	Eramir	an Dian Brasida the following for all new construction and gross affected such as adjaining
IXOUI	ı ranını	ng Plan – Provide the following for all new construction and areas affected such as adjoining
	ntiliancini	n or moditying loads
		g or modifying loads
	eral Infor	· ·
		· ·
		<u>rmation</u>
		r <mark>mation</mark> North arrow
		rmation North arrow Scale 1/4' = 1'
Gene		North arrow Scale ¼' = 1' Identify New and Existing Reference call outs for cross sections and details
Gene	eral Infor	Morth arrow Scale ¼' = 1' Identify New and Existing Reference call outs for cross sections and details rmation
Gene	eral Infor	North arrow Scale ¼' = 1' Identify New and Existing Reference call outs for cross sections and details rmation g conventional framing
Gene	eral Infor	North arrow Scale ¼' = 1' Identify New and Existing Reference call outs for cross sections and details rmation g conventional framing Specify ridge beam size and span
Gene	eral Infor	North arrow Scale ¼' = 1' Identify New and Existing Reference call outs for cross sections and details rmation g conventional framing Specify ridge beam size and span Show location of collar ties, rafter ties or clips (if used)
Gene	eral Infor	North arrow Scale ¼' = 1' Identify New and Existing Reference call outs for cross sections and details rmation g conventional framing Specify ridge beam size and span Show location of collar ties, rafter ties or clips (if used) Specify rafter size, spacing, and span
Gene	eral Infor	North arrow Scale ¼' = 1' Identify New and Existing Reference call outs for cross sections and details rmation g conventional framing Specify ridge beam size and span Show location of collar ties, rafter ties or clips (if used) Specify rafter size, spacing, and span Specify header sizes and span
Gene	eral Infor	North arrow Scale ¼' = 1' Identify New and Existing Reference call outs for cross sections and details rmation g conventional framing Specify ridge beam size and span Show location of collar ties, rafter ties or clips (if used) Specify rafter size, spacing, and span Specify header sizes and span g pre-manufactured trusses
Gene	eral Infor	North arrow Scale ¼' = 1' Identify New and Existing Reference call outs for cross sections and details rmation g conventional framing Specify ridge beam size and span Show location of collar ties, rafter ties or clips (if used) Specify rafter size, spacing, and span Specify header sizes and span g pre-manufactured trusses Location of girder truss, hip master
Gene	eral Infor	North arrow Scale ¼' = 1' Identify New and Existing Reference call outs for cross sections and details rmation g conventional framing Specify ridge beam size and span Show location of collar ties, rafter ties or clips (if used) Specify rafter size, spacing, and span Specify header sizes and span g pre-manufactured trusses Location of girder truss, hip master Specify truss span, spacing, type (common, scissor, gable end, etc.)
Gene	eral Infor	North arrow Scale ¼' = 1' Identify New and Existing Reference call outs for cross sections and details rmation g conventional framing Specify ridge beam size and span Show location of collar ties, rafter ties or clips (if used) Specify rafter size, spacing, and span Specify header sizes and span g pre-manufactured trusses Location of girder truss, hip master Specify truss span, spacing, type (common, scissor, gable end, etc.) framing types
Gene	eral Infor	North arrow Scale ¼' = 1' Identify New and Existing Reference call outs for cross sections and details rmation g conventional framing Specify ridge beam size and span Show location of collar ties, rafter ties or clips (if used) Specify rafter size, spacing, and span Specify header sizes and span g pre-manufactured trusses Location of girder truss, hip master Specify truss span, spacing, type (common, scissor, gable end, etc.) framing types Show all bearing members below (walls, beams, headers, etc.) giving size and
Gene	eral Infor	North arrow Scale ¼' = 1' Identify New and Existing Reference call outs for cross sections and details rmation g conventional framing Specify ridge beam size and span Show location of collar ties, rafter ties or clips (if used) Specify rafter size, spacing, and span Specify header sizes and span g pre-manufactured trusses Location of girder truss, hip master Specify truss span, spacing, type (common, scissor, gable end, etc.) framing types Show all bearing members below (walls, beams, headers, etc.) giving size and span
Gene	eral Infor	North arrow Scale ¼' = 1' Identify New and Existing Reference call outs for cross sections and details rmation g conventional framing Specify ridge beam size and span Show location of collar ties, rafter ties or clips (if used) Specify rafter size, spacing, and span Specify header sizes and span g pre-manufactured trusses Location of girder truss, hip master Specify truss span, spacing, type (common, scissor, gable end, etc.) framing types Show all bearing members below (walls, beams, headers, etc.) giving size and span Specify size of framing around roof openings
Gene	eral Infor	North arrow Scale ¼' = 1' Identify New and Existing Reference call outs for cross sections and details rmation g conventional framing Specify ridge beam size and span Show location of collar ties, rafter ties or clips (if used) Specify rafter size, spacing, and span Specify header sizes and span g pre-manufactured trusses Location of girder truss, hip master Specify truss span, spacing, type (common, scissor, gable end, etc.) framing types Show all bearing members below (walls, beams, headers, etc.) giving size and span

Revised 7/29/04 Page 8 of 11

Building Section

A "Building Section" is a cross-sectional view (exterior wall to exterior wall) through a building (foundation to ridge), intended to illustrate the vertical relationship of significant building spaces.

Req	Prov	Minimum Requirements
		Min. ½"=1'-0" scale.
		Reference call-outs to construction details.
		Dimension distance from floor to floor.
\boxtimes		Ceiling height dimensions. (When using sloped ceiling provision, provide
		detailed dimensions)
		Detailed dimensions if collar ties used.
\boxtimes		Specify roof pitch / slope.
\boxtimes		Clearly identify new and existing construction, and construction details
		specifying the connection of new to existing
\boxtimes		Illustrate unusual conditions (lofts, raised floor areas, unusual ceiling
		configurations, etc.)

Watch For:

- 1. Floor plans must show the location of the section cut and reference the Building Section.
- When multiple conditions are proposed and clarity is critical in order to show code compliance (such as unusual ceiling conditions), multiple building sections or partial sections may be appropriate.
- 3. Detailed information, such as insulation levels or a stair section, may be on the Building Section as long as the proposal is <u>clear</u>.

Construction Details – Provide the following for all new construction, as well as connection between new and existing construction.

A "Construction Detail" is an enlarged view (usually sectional) of a critical construction element, intended to clearly show code conformance.

monded to clearly show code communics.			
General Information			
		Minimum $\frac{1}{4}$ " = 1' (3/4" = 1' or larger is commonly used for construction detail so	
		detail is clearly presented)	
		Identify New and Existing	
Stair De	<u>tail</u>		
		Rise and run dimensions (Winders, spirals, or other unusual stairways may	
		require a detailed plan view as well).	
		Dimension headroom height	
		Handrail information (grasp requirements, extensions, and returns)	
		Guardrail information (height and spacing of intermediate rails)	
		Fire protection under stair (if enclosed)	
TYPICAL	WALL	_ SECTION (extending from roof to foundation/basement wall)	
Roof Detail			
\boxtimes		Dimension eave	
		Show gutter, specify type	

Revised 7/29/04 Page 9 of 11

TYPICAL WALL SECTION - continued

Rec	q Pro	V
Roo	f Detail -	· continued
		Specify roof insulation, R-value, and type
\boxtimes		Show fire protection at eave (if appropriate)
Wall	Detail	
\square		Size and number of top and bottom plates
Ħ		Stud sizing and spacing
		Exterior side: Siding, weather protection, structural sheathing (thickness and
		material), Veneer type (brick, stone) thickness, and attachment. Fire resistive
		assembly if appropriate.
\square		
\boxtimes		Interior side: Insulation R-value and type; Wall covering material and thickness
-	D. (- 'I	(usually gypsum wall board)
F100	r Detail	Object Consistent and Colors and Colors and
		Sheathing material and thickness
		Location of framing members
		Foundation information or reference to separate detail
\boxtimes		Crawl space heights
\boxtimes		Visqueen material and thickness
		Perimeter slab and below grade wall insulation and R-value if applicable
<u>Four</u>	<u>ndation/</u>	Basement Wall/Retaining Wall Details
		Fully dimension
		Detail all differing conditions (reference to detail required on foundation plan)
		Specify footing depth below grade
		Specify maximum backfill
		Indicate depth of cut in relationship to property line
		Specify re-bar location and size
		Specify sill plate size and material
		Specify anchor bolt size and spacing and washer size
H		Footing drain location, size (at exterior wall)
H		Spread footing detail(s) – post size, connections to footing, framing above
She	arwall D	
Office	ai waii D	Show all Shearwall / Braced wall Panels, show construction and assembly
		details
Shor	arwall S	chedule
	ai waii S	Sheathing material, thickness
		Required nail size, spacing
		, , , ,
		Top and bottom plate connection to diaphragm
		Floor to floor transfer details (hold down strap details)
D.C.		Diaphragm to shearwall connections
WISC	<u>cellaneo</u>	us Details
		Rockery / ecoblock cross section
Щ		Collar tie connection details if not provided somewhere else in plan set
		Rated wall construction details

Revised 7/29/04 Page 10 of 11

TYPICAL WALL SECTION - continued

Req	Prov		
Miscella	<u>aneous</u>	Details - continued	
		Masonry veneer connection detail if not shown on wall details	
		Ledger connection (member size, connection size, spacing) if not provided on	
		framing plan	
		Greenhouse connection if not included elsewhere in the plans	
		·	
Watch	Watch For:		

- 1. **Excavation exceeding 1H:1V from a property line** may require a cross-sectional detail. When necessary, bottom of footing elevations may be required on the Foundation Plan.
- 2. If there is **Shoring or Letter of Agreement** for protecting adjoining property plans need to indicate distance of structures or other surcharge on the adjoining property
- 3. If an **elevator** is proposed, a detail section of the elevator shaft is required.
- 4. If a **masonry fireplace** is proposed, a detail section of the fireplace and chimney is required.

Revised 7/29/04 Page 11 of 11